

# LAROC

PERFORMANCE & FITNESS

## NC57 GRAVIT MACHINE with COP\*



\*COP: counter balance



# THE KEY POINTS OF TANNAC RANGE



## DURABILITY

Mechano-welded frame with 3,2 mm tubes, steel rear stack guard, hauling straps at very high strength. TANNAC machines are designed for intensive use.



## STRENGTH

TANNAC machines, like all our ranges, are the result of our knowledge developed in high performance sport. They respond to high requirements in terms of biomechanics. Loads are adjustable to match the most demanding user's needs.



## CHOICE

Optional frame colour (grey as standard), upholstery (standard black), logo embroidery are available

# KEY POINTS

## NC57 – GRAVIT MACHINE

### PULL-DOWN KNEE PAD

The pull-down knee pad helps to the user during his exercise, as it compensates for his body weight thanks to the machine's counterweight system.

The knee pad folds down and can be locked by means of a knob which frees up the workspace for those who want to train without this assistance.



### FOOT REST

The non-slip footrest plate provides user safety. This material offers total grip, allowing maximum concentration on the movement in all serenity



### ADJUSTABLE TRICEPS HANDLES

The triceps grips have been ergonomically designed to let the user choose to train in close or spaced movements. The user can adjust the handles with to the pivoting system.




# TECHNICAL DATA

CHARACTERISTICS	DESCRIPTION
Length	115 cm
Width	130 cm
Height	210 cm
Weight	280 kg
Standard load	60 kg
Maxi. load	100 kg
Maxi user weight	150 kg
Frame	Oval steel frame - 3,5mm/average
Stack guard	Rear
Upholstery	Black (other colours optional)
Load transmission	High resistance belting (4,5 tonnes)
Warranty	5 years on metal frame (excl. paint, upholstery and parts subject to wear)

STANDARD FRAME COLOUR	OPTIONAL FRAME COLOUR
	  

# DESCRIPTION



**LAROQ**



# KNOW-HOW



## WELDING

At the forefront of technology, we have a semi-automatic eight-axis welding robot. Its size and quality allow us to assemble all the sub-assemblies of the machines and ensure real quality.

The more specific parts are welded by an experienced team and then individually controlled.



## PAINT

During the painting phase, our painters follow three key steps. Initially, they clean the parts apply a layer of antirust and protection. Then, paint is added by this process offers outstanding aesthetic quality as well as mechanical resistance electrostatic powdering.



## ENVIRONMENTAL PROTECTION

We use recyclable 90% products. Our chassis are made of 100% steel and delivered by Austrian suppliers WUPPERMANN which guarantees character “infinitely recyclable of its steels” by encouraging the use of steel from the electrical industry to reduce its carbon footprint.



## EN957 STANDARDS

All LAROQ machines are designed and manufactured according to the EN957 standards. They have been approved by an independent organization, COFRAC accredited. Tests are performed in the most demanding conditions (maximum displacement area, maximum stress, stability )

# CUSTOMIZATION



## EMBROIDERY

Made in France, we are able to customize your upholstery with your own embroidered paint. The ability to customize frame colors, upholstery colors, marking... you can completely customize your equipment.



## SADDLIERIES AND COLOR

The seats and cushions are entirely cut and hand-sewn in our upholstery workshop. We select the best manufacturers of natural or synthetic leathers to offer a wide range of colors and textures.

We place great importance on the quality of materials used in manufacturing and the details.

## LARGE CHOICE OF COLOURS (OPTIONAL)

GAMME KARA / KARA RANGE



BRUME



GRIS  
PERLE



GALET



NOIR



DÉSERT



HAVANA



VENITIEN



BLEU  
OPALE



SAPHIR



VERT  
POMME



ROUGE  
CARMIN



ROUGE  
CINABRE

**LAROQ**

# LAROQ

PERFORMANCE & FITNESS

[WWW.LAROQ.COM](http://WWW.LAROQ.COM)

ZONE INDUSTRIELLE DU GRAND PONT  
13640 LA ROQUE D'ANTHÉRON  
FRANCE

+33(0)4 42 28 48 20

[COMMERCIAL@FIZFAB.COM](mailto:COMMERCIAL@FIZFAB.COM)

**MULTI**form'

